



AIHA Laboratory Accreditation Programs, LLC
acknowledges that
Safety Environmental Laboratories and Consulting, Inc.
989 Yeager Parkway, Pelham, AL 35124
Laboratory ID: LAP-100766

along with all premises from which key activities are performed, as listed above, has fulfilled the requirements of the AIHA Laboratory Accreditation Programs, LLC (AIHA LAP) accreditation to the ISO/IEC 17025:2017 international standard, General Requirements for the Competence of Testing and Calibration Laboratories in the following:

LABORATORY ACCREDITATION PROGRAMS

☒	INDUSTRIAL HYGIENE	Accreditation Expires: June 01, 2028
☐	ENVIRONMENTAL LEAD	Accreditation Expires:
☒	ENVIRONMENTAL MICROBIOLOGY	Accreditation Expires: June 01, 2028
☐	FOOD	Accreditation Expires:
☐	UNIQUE SCOPES	Accreditation Expires:
☐	BE FIELD/MOBILE	Accreditation Expires:

Specific Field(s) of Testing/Method(s) within each Accreditation Program for which the above named laboratory maintains accreditation is outlined on the attached Scope of Accreditation. Continued accreditation is contingent upon successful on-going compliance with ISO/IEC 17025:2017 and AIHA LAP requirements. This certificate is not valid without the attached Scope of Accreditation. Please review the AIHA LAP website (www.aihaaccreditedlabs.org) for the most current Scope.

Olena Bulgakova
Executive Director, AIHA Laboratory Accreditation Programs, LLC



AIHA Laboratory Accreditation Programs, LLC

SCOPE OF ACCREDITATION

**Safety Environmental Laboratories
and Consulting, Inc.**

Laboratory ID: LAP-100766

989 Yeager Parkway, Pelham, AL 35124

Issue Date: 06/01/2026

Expire Date: 06/01/2028

The laboratory is approved for those specific field(s) of testing/methods listed in the table below. Clients are urged to verify the laboratory's current accreditation status for the particular field(s) of testing/Methods, since these can change due to proficiency status, suspension and/or withdrawal of accreditation.

Environmental Microbiology Laboratory Accreditation Program (EMLAP)

Initial Accreditation Date: 05/01/2019

EMLAP Scope Category	Field of Testing (FOT)	Component, parameter, characteristic, material, or product tested	Method	Method Description (for internal methods only)
Bacterial	Legionella	Water – non-potable	SOP-021	IDEXX Legiolert
Bacterial	Pseudomonas	Water – non-potable	SOP-020	IDEXX-Pseudalert-ISO 16266-2:2018
Fungal	Air - Direct Examination	Spore Trap	ASTM D7391-20	N/A
Fungal	Bulk - Direct Examination	Swab	SOP-016	Categorization and Quantification of Fungal Particulate in Surface Samples Via Direct Optical Microscopy
Fungal	Surface - Direct Examination	Tape	ASTM D7658-17(2021)	N/A

A complete listing of currently accredited EMLAP laboratories is available on the AIHA LAP, LLC website at:
<http://www.aihaaccreditedlabs.org>